

# Salt Marsh Research Bibliography

*Compiled by staff of the South Carolina Department of Natural Resources*

This is a non-comprehensive list of management plans, salt marsh initiatives, and published research conducted on the salt marsh that will be updated periodically. Please let us know if you would like your paper or project added here.

## Table of Contents

<b>LIVING SHORELINES &amp; RESTORATION .....</b>	<b>2</b>
<b>PRODUCTIVITY &amp; VEGETATION.....</b>	<b>3</b>
<b>MARSH MIGRATION .....</b>	<b>5</b>
<b>SEA LEVEL RISE &amp; CLIMATE CHANGE.....</b>	<b>7</b>
<b>MAPPING &amp; MONITORING .....</b>	<b>9</b>
<b>OTHER.....</b>	<b>10</b>

## Living Shorelines & Restoration

- Bilkovic, D. M., Mitchell, M., Mason, P., & Duhring, K. (2016). The Role of Living Shorelines as Estuarine Habitat Conservation Strategies. *Coastal Management*, 44(3), 161–174. <https://doi.org/10.1080/08920753.2016.1160201>
- Bilkovic, D. M., & Toft, J. D. (2017). A Synthesis of Living Shoreline Perspectives. In *Living Shorelines: The Science and Management of Nature-Based Coastal Protection* (pp. 483–488). <https://www.researchgate.net/publication/315757390>
- Currin, C. A., Chappell, W. S., & Deaton, A. (2010). Developing Alternative Shoreline Armoring Strategies: The Living Shoreline Approach in North Carolina. In *Puget Sound Shorelines and the Impacts of Armoring* (pp. 91–102).
- Davis, J. L., Currin, C. A., O'Brien, C., Raffenburg, C., & Davis, A. (2015). Living shorelines: Coastal resilience with a blue carbon benefit. *PLoS ONE*, 10(11). <https://doi.org/10.1371/journal.pone.0142595>
- Gittman, R. K., Popowich, A. M., Bruno, J. F., & Peterson, C. H. (2014). Marshes with and without sills protect estuarine shorelines from erosion better than bulkheads during a Category 1 hurricane. *Ocean and Coastal Management*, 102(PA), 94–102. <https://doi.org/10.1016/j.ocecoaman.2014.09.016>
- Hudson, R., Kenworthy, J., & Best, M. (2021). *Saltmarsh Restoration Handbook UK & Ireland November 2021*. <https://www.decadeonrestoration.org/>
- Toft, J. D., Bilkovic, D. M., Mitchell, M. M., & la Peyre, M. K. (2017). A Synthesis of Living Shoreline Perspectives. In *Living Shorelines: The Science and Management of Nature-Based Coastal Protection* (pp. 483–488).

## Productivity & Vegetation

- Angelini, C., Griffin, J. N., van de Koppel, J., Lamers, L. P. M., Smolders, A. J. P., Derksen-Hooijberg, M., van der Heide, T., & Silliman, B. R. (2016). A keystone mutualism underpins resilience of a coastal ecosystem to drought. *Nature Communications*, 7. <https://doi.org/10.1038/ncomms12473>
- Bell, D. W., Denham, S., Smith, E. M., & Benitez-Nelson, C. R. (2018). Temporal Variability in Ecological Stoichiometry and Material Exchange in a Tidally Dominated Estuary (North Inlet, South Carolina) and the Impact on Community Nutrient Status. *Estuaries and Coasts*, 41(8), 2223–2239. <https://doi.org/10.1007/s12237-018-0430-7>
- Crosby, S. C., Angermeyer, A., Adler, J. M., Bertness, M. D., Deegan, L. A., Sibinga, N., & Leslie, H. M. (2017). *Spartina alterniflora* Biomass Allocation and Temperature: Implications for Salt Marsh Persistence with Sea-Level Rise. *Estuaries and Coasts*, 40(1), 213–223. <https://doi.org/10.1007/s12237-016-0142-9>
- Deegan, L. A., Johnson, D. S., Warren, R. S., Peterson, B. J., Fleeger, J. W., Fagherazzi, S., & Wollheim, W. M. (2012). Coastal eutrophication as a driver of salt marsh loss. *Nature*, 490(7420), 388–392. <https://doi.org/10.1038/nature11533>
- DiGiacomo, A. E., Bird, C. N., Pan, V. G., Dobroski, K., Atkins-Davis, C., Johnston, D. W., & Ridge, J. T. (2020). Modeling salt marsh vegetation height using unoccupied aircraft systems and structure from motion. In *Remote Sensing* (Vol. 12, Issue 14). MDPI AG. <https://doi.org/10.3390/rs12142333>
- Hong, H., Dai, M., Lu, H., Liu, J., Zhang, J., Chen, C., Xia, K., & Yan, C. (2017). Artificial topography changes the growth strategy of *Spartina alterniflora*, case study with wave exposure as a comparison. *Scientific Reports*, 7(1). <https://doi.org/10.1038/s41598-017-16122-w>
- Meyer, D. L., & Posey, M. H. (2019). Salt Marsh Habitat Size and Location Do Matter: the Influence of Salt Marsh Size and Landscape Setting on Nekton and Estuarine Finfish Community Structure. *Estuaries and Coasts*, 42(5), 1353–1373. <https://doi.org/10.1007/s12237-019-00555-9>
- Morris, J. T., & Haskin, B. (1990). A 5-yr Record of Aerial Primary Production and Stand Characteristics of *Spartina Alterniflora*. *Ecology*, 71(6), 2209–2217.
- Mudd, S. M., D'Alpaos, A., & Morris, J. T. (2010). How does vegetation affect sedimentation on tidal marshes? Investigating particle capture and hydrodynamic controls on biologically mediated sedimentation. *Journal of Geophysical Research: Earth Surface*, 115(3). <https://doi.org/10.1029/2009JF001566>
- Noe, G. B., Hupp, C. R., Bernhardt, C. E., Krauss, K. W., Noe1, G. B., Hupp1, C. R., Christopher, Bernhardt, E., Ke, Gregory, E., Noe, B., & Gov, G. (2016a). Contemporary Deposition and Long-Term Accumulation of Sediment and Nutrients by Tidal Freshwater Forested Wetlands Impacted by Sea Level Rise. *Estuaries and Coasts*, 39(4), 1006–10199. <https://doi.org/10.1007/s>

- Osgood, D. T., & Zieman, J. C. (1998). The Influence of Subsurface Hydrology on Nutrient Supply and Smooth Cordgrass (*Spartina alterniflora*) Production in a Developing Barrier Island Marsh. *Estuaries*, 21(4), 767–783. [http://www.jstor.org/stable/1353280?seq=1&cid=pdf-reference#references\\_tab\\_contents](http://www.jstor.org/stable/1353280?seq=1&cid=pdf-reference#references_tab_contents)
- Pinton, D., Canestrelli, A., Wilkinson, B., Ifju, P., & Ortega, A. (2020). A new algorithm for estimating ground elevation and vegetation characteristics in coastal salt marshes from high-resolution UAV-based LiDAR point clouds. *Earth Surface Processes and Landforms*, 45(14), 3687–3701. <https://doi.org/10.1002/esp.4992>
- Radabaugh, K. R., Powell, C. E., Bociu, I., Clark, B. C., & Moyer, R. P. (2017). Plant size metrics and organic carbon content of Florida salt marsh vegetation. *Wetlands Ecology and Management*, 25(4), 443–455. <https://doi.org/10.1007/s11273-016-9527-6>
- Ragan, A. N., & Wozniak, J. R. (2019). Linking hydrologic connectivity in salt marsh ponds to fish assemblages across a heterogenous coastal habitat. *Journal of Coastal Research*, 35(3), 545–558. <https://doi.org/10.2112/JCOASTRES-D-18-00007.1>
- Savidge, W. B., Brink, J., & Blanton, J. O. (2016). Limited Influence of Urban Stormwater Runoff on Salt Marsh Platform and Marsh Creek Oxygen Dynamics in Coastal Georgia. *Environmental Management*, 58(6), 1074–1090. <https://doi.org/10.1007/s00267-016-0761-8>
- Silliman, B. R., Layman, C. A., Geyer, K., & Zieman, J. C. (2004). Predation by the Black-Clawed Mud Crab, *Panopeus herbstii*, in Mid-Atlantic Salt Marshes: Further Evidence for Top-Down Control of Marsh Grass Production. *Estuaries*, 27(2), 188–196. [https://www.jstor.org/stable/1353451?seq=1&cid=pdf-reference#references\\_tab\\_contents](https://www.jstor.org/stable/1353451?seq=1&cid=pdf-reference#references_tab_contents)
- Turner, R. E., & Mo, Y. (2021). Salt marsh elevation limit determined after subsidence from hydrologic change and hydrocarbon extraction. *Remote Sensing*, 13(49), 1–14. <https://doi.org/10.3390/rs13010049>
- Zedler, J. B., Covin, J., Nordby, C., Williams, P., & Boland, J. (1986). Catastrophic Events Reveal the Dynamics Nature of Salt-Marsh Vegetation in Southern California. *Estuaries*, 9(1), 75–80.

## Marsh Migration

- Anisfeld, S. C., Kemp, A. C., & O'Connell, J. (2019). Salt Marsh Migration into Lawns Revealed by a Novel Sediment-Based Approach. *Estuaries and Coasts*, 42(6), 1419–1429. <https://doi.org/10.1007/s12237-019-00590-6>
- Bacopoulos, P., Tritinger, A. S., & Dix, N. G. (2019). Sea-Level Rise Impact on Salt Marsh Sustainability and Migration for a Subtropical Estuary: GTMNERR (Guana Tolomato Matanzas National Estuarine Research Reserve). *Environmental Modeling and Assessment*, 24(2), 163–184. <https://doi.org/10.1007/s10666-018-9622-6>
- Barrett, J., & Balcom, N. (2020). Moving With the Marsh: Encouraging Property Owner Adaptation to Marsh Migration. In *Journal of Extension* (Vol. 58). <https://tigerprints.clemson.edu/joe>
- Dissanayake, S. T. M., & Hennessey, M. K. (2017). Conservation Choices in the Face of Sea-Level Rise: A Case Study on Marsh Migration from Phippsburg, Maine. *Agricultural and Resource Economics Review*, 46(2), 388–419. <https://doi.org/10.1017/age.2017.24>
- Farron, S. J., Hughes, Z. J., & Fitzgerald, D. M. (2020). Assessing the response of the Great Marsh to sea-level rise: migration, submersion 1 or survival 2. *Marine Geology*, 425. <https://doi.org/10.1016/j.margeo.2020.10619>
- Feagin, R. A., Luisa Martinez, M., & Mendoza-Gonzalez, G. (2010). Salt Marsh Zonal Migration and Ecosystem Service Change in Response to Global Sea Level Rise: A Case Study from an Urban Region. *Costanza Source: Ecology and Society* (Vol. 15, Issue 4). <https://www.jstor.org/stable/26268206?seq=1&cid=pdf->
- Field, C. R., Gjerdrum, C., & Elphick, C. S. (2016). Forest resistance to sea-level rise prevents landward migration of tidal marsh. *Biological Conservation*, 201, 363–369. <https://doi.org/10.1016/j.biocon.2016.07.035>
- Flester, J. A., & Blum, L. K. (2020). Rates of Mainland Marsh Migration into Uplands and Seaward Edge Erosion are Explained by Geomorphic Type of Salt Marsh in Virginia Coastal Lagoons. *Wetlands*, 40(6), 1703–1715. <https://doi.org/10.1007/s13157-020-01390-6>
- Gardner, G., & Johnston, R. J. (2020). What does it cost to ensure salt marsh migration? Using hedonic modeling to inform cost-effective conservation. *Journal of Environmental Management*, 262. <https://doi.org/10.1016/j.jenvman.2020.110262>
- Kirwan, M. L., Walters, D. C., Reay, W. G., & Carr, J. A. (2016). Sea level driven marsh expansion in a coupled model of marsh erosion and migration. *Geophysical Research Letters*, 43(9), 4366–4373. <https://doi.org/10.1002/2016GL068507>
- Linhoss, A. C., Kiker, G., Shirley, M., & Frank, K. (2015). Sea-Level Rise, Inundation, and Marsh Migration: Simulating Impacts on Developed Lands and Environmental Systems. *Journal of Coastal Research*, 31(1), 36–46.
- Mitchell, M., Herman, J., & Hershner, C. (2020). Evolution of Tidal Marsh Distribution under Accelerating Sea Level Rise. *Wetlands*, 40, 1789–1800. <https://doi.org/10.1007/s13157-020-01387-1/Published>

- Propato, M., Clough, J. S., & Polaczyk, A. (2018). Evaluating the costs and benefits of marsh management strategies while accounting for uncertain sea-level rise and ecosystem response. *PLoS ONE*, *13*(8). <https://doi.org/10.1371/journal.pone.0200368>
- Raposa, K. B., Weber, R. L. J., Ekberg, M. C., & Ferguson, W. (2017). Vegetation Dynamics in Rhode Island Salt Marshes During a Period of Accelerating Sea Level Rise and Extreme Sea Level Events. *Estuaries and Coasts*, *40*(3), 640–650. <https://doi.org/10.1007/s12237-015-0018-4>
- Smith, A. J., & Kirwan, M. L. (2021). Sea Level-Driven Marsh Migration Results in Rapid Net Loss of Carbon. *Geophysical Research Letters*, *48*(13). <https://doi.org/10.1029/2021GL092420>
- Smith, J. A. M. (2013). The Role of *Phragmites australis* in Mediating Inland Salt Marsh Migration in a Mid-Atlantic Estuary. *PLoS ONE*, *8*(5). <https://doi.org/10.1371/journal.pone.0065091>
- Tabak, N. M., Laba, M., & Spector, S. (2016). Simulating the effects of Sea Level Rise on the resilience and migration of tidal wetlands along the Hudson River. *PLoS ONE*, *11*(4). <https://doi.org/10.1371/journal.pone.0152437>
- Taylor, L., Curson, D., Verutes, G. M., & Wilsey, C. (2020). Mapping sea level rise impacts to identify climate change adaptation opportunities in the Chesapeake and Delaware Bays, USA. *Wetlands Ecology and Management*, *28*(3), 527–541. <https://doi.org/10.1007/s11273-020-09729-w>

## Sea Level Rise & Climate Change

- Anderson, M. G., & Barnett, A. (2019). *Resilient Coastal Sites for Conservation in the South Atlantic US*. <https://www.nature.ly/SEcoast>
- Burns, C. J., Alexander, C. R., & Alber, M. (2021). Assessing long-term trends in lateral salt-marsh shoreline change along a U.S. East Coast Latitudinal Gradient. *Journal of Coastal Research*, 37(2), 291–301. <https://doi.org/10.2112/JCOASTRES-D-19-00043.1>
- Cahoon, D. R., Lynch, J. C., Roman, C. T., Schmit, J. P., & Skidds, D. E. (2019). Evaluating the Relationship Among Wetland Vertical Development, Elevation Capital, Sea-Level Rise, and Tidal Marsh Sustainability. *Estuaries and Coasts*, 42(1). <https://doi.org/10.1007/s12237-018-0448-x>
- Chen, G., Li, J., Lv, H., Wang, S., Zuo, J., & Zhu, L. (2020). Sea-level rise and the emergence of a keystone grazer alter the geomorphic evolution and ecology of southeast US salt marshes. *PNAS*, 117(30), 17891–17902.
- Colombano, D. D., Litvin, S. Y., Ziegler, S. L., Alford, S. B., Baker, R., Barbeau, M. A., Cebrián, J., Connolly, R. M., Currin, C. A., Deegan, L. A., Lesser, J. S., Martin, C. W., McDonald, A. E., Mcluckie, C., Morrison, B. H., Pahl, J. W., Risse, & L. M., Smith, J. A. M., Staver, L. W., ... Waltham, N. J. (2021). Climate Change Implications for Tidal Marshes and Food Web Linkages to Estuarine and Coastal Nekton. *Estuaries and Coasts*, 44, 1637–1648. <https://doi.org/10.1007/s12237-020-00891-1/Published>
- Crotty, S., Ortals, C., Pettengill, T., Shi, L., Olabarrieta, M., Joyca, M., Altieri, A., Morrison, E., Bianchi, T., Craft, C., Bertness, M., & Angelini, C. (2020). Sea-level rise and the emergence of a keystone grazer alter the geomorphic evolution and ecology of southeast US salt marshes. *PNAS*, 117(30), 17891–17902. <https://doi.org/10.6084/m9.figshare>
- Duran Vinent, O., Herbert, E. R., Coleman, D. J., Himmelstein, J. D., & Kirwan, M. L. (2021). Onset of runaway fragmentation of salt marshes. *One Earth*, 4(4), 506–516. <https://doi.org/10.1016/j.oneear.2021.02.013>
- Fagherazzi, S., Mariotti, G., Leonardi, N., Canestrelli, A., Nardin, W., & Kearney, W. S. (2020). Salt Marsh Dynamics in a Period of Accelerated Sea Level Rise. *Journal of Geophysical Research: Earth Surface*, 125(8). <https://doi.org/10.1029/2019JF005200>
- Hensel, P., & Perez, B. (2002). High-Precision Measurements of Wetland Sediment Elevation: II. The Rod Surface Elevation Table. *Journal of Sedimentary Research*, 734–739.
- Kirwan, M. L., Temmerman, S., Skeehan, E. E., Guntenspergen, G. R., & Fagherazzi, S. (2016). Overestimation of marsh vulnerability to sea level rise. In *Nature Climate Change* (Vol. 6, Issue 3, pp. 253–260). Nature Publishing Group. <https://doi.org/10.1038/nclimate2909>
- Lerberg, S. (2016). Assessing tidal marsh resilience to sea-level rise at broad geographic scales with multi-metric indices. *Biological Conservation*, 204, 263–275.
- Lynch, J. C., Hensel, P., & Cahoon, D. R. (2015). *The Surface Elevation Table and Marker Horizon Technique A Protocol for Monitoring Wetland Elevation Dynamics*.

- Morris, J. T., Sundareshwar, P. v, Nietch, C. T., Bjo, B., Kjerfve, B., & Cahoon, A. D. R. (2002). Responses of Coastal Wetlands to Rising Sea Level. *Ecology*, *83*(10), 2869–2877.
- Raposa, K., Wasson, K., Smith, E., Crooks, J., Deldago, P., Fernald, S., Ferner, M., Helms, A., Hice, L., More, J., Puckett, B., Sanger, D., Shull, S., Spurrier, L., Stevens, R., & Lerberg, S. (2016). Assessing tidal marsh resilience to sea-level rise at broad geographic scales with multi-metric indices. *Biological Conservation*, *204*, 263–275. <https://doi.org/10.1016/j.biocon.2016.10.015>
- Silliman, B. R., van de Koppel, J., Bertness, M. D., Stanton, L. E., & Mendelsohn, I. A. (2005). Drought, Snails, and Large-Scale Die-Off of Southern U.S. Salt Marshes. *Science*, *310*, 1803–1806. [www.sciencemag.org](http://www.sciencemag.org)
- Vu, H. D., Wieski, K., & Pennings, S. C. (2016). Ecosystem engineers drive creek formation in salt marshes. *Ecology*, *98*(1), 162–174.
- Wasson, K., Ganju, N. K., Defne, Z., Endris, C., Eelsey-Quirk, T., Thorne, K. M., Freeman, C. M., Guntenspergen, G., Nowacki, D. J., & Raposa, K. B. (2019). Understanding tidal marsh trajectories: Evaluation of multiple indicators of marsh persistence. *Environmental Research Letters*, *14*(12). <https://doi.org/10.1088/1748-9326/ab5a94>



## Mapping & Monitoring

- Brophy, L. S., Greene, C. M., Hare, V. C., Holycross, B., Lanier, A., Heady, W. N., O'Connor, K., Imaki, H., Haddad, T., & Dana, R. (2019). Insights into estuary habitat loss in the western United States using a new method for mapping maximum extent of tidal wetlands. *PLoS ONE*, *14*(8). <https://doi.org/10.1371/journal.pone.0218558>
- Campbell, A. D., & Wang, Y. (2020). Salt marsh monitoring along the mid-Atlantic coast by Google Earth Engine enabled time series. *PloS One*, *15*(2), e0229605. <https://doi.org/10.1371/journal.pone.0229605>
- Currin, C., Davis, J., Baron, L. C., Malhotra, A., & Fonseca, M. (2015). Shoreline Change in the New River Estuary, North Carolina: Rates and Consequences. *Journal of Coastal Research*, *31*(5), 1069–1077.
- Miller, G., T. Morris, J., & Wang, C. (2017). Mapping salt marsh dieback and condition in South Carolina's North Inlet-Winyah Bay National Estuarine Research Reserve using remote sensing. *AIMS Environmental Science*, *4*(5), 677–689. <https://doi.org/10.3934/environsci.2017.5.677>
- Mo, Y., Kearney, M. S., & Riter, J. C. A. (2017). Post-deepwater horizon oil spill monitoring of Louisiana salt marshes using landsat imagery. *Remote Sensing*, *9*(6). <https://doi.org/10.3390/rs9060547>
- Neckles, H. A., Lyons, J. E., Guntenspergen, G. R., Shriver, W. G., & Adamowicz, S. C. (2015). Use of Structured Decision Making to Identify Monitoring Variables and Management Priorities for Salt Marsh Ecosystems. *Estuaries and Coasts*, *38*(4), 1215–1232. <https://doi.org/10.1007/s12237-014-9822-5>

## Other

- Balmford, A., Bruner, A., Cooper, P., Costanza, R., Farber, S., Green, R., Jenkins, M., Jefferiss, P., Jessamy, V., Madden, J., Munro, K., Myers, N., Naeem, S., Paavola, J., Rayment, M., Rosendo, S., Roughgarden, J., Trumper, K., & Turner, R. K. (2002). Economic reasons for conserving wild nature. *Science*, *297*, 950–953.
- Harvey, J. W., & Odum, W. E. (1990). Influences of ground water on marsh. *Biogeochemistry*, *217*–236.
- Garwood, J. A., Allen, D. M., Kimball, M. E., & Boswell, K. M. (2019). Site Fidelity and Habitat Use by Young-of-the-Year Transient Fishes in Salt Marsh Intertidal Creeks. *Estuaries and Coasts*, *42*(5), 1387–1396. <https://doi.org/10.1007/s12237-019-00576-4>
- Silliman, B. R., Bertness, M. D., & Thomsen, M. S. (2009). Top-Down Control and Human Intensification of Consumer Pressure in Southern U.S. Salt Marshes. In *Human Impacts in Salt Marshes: A Global Perspective* (pp. 103–114).
- Vu, H. D., & Pennings, S. C. (2021). Directional movement of consumer fronts associated with creek heads in salt marshes. *Ecology*, *102*(9). <https://doi.org/10.1002/ecy.3447>